



IDEAL CONCRETE PORCELAIN TILES

IDEAL CONCRETE

Transforming the natural beauty of cement design into a porcelain tile to fit modern lifestyle. Ideal concrete become a key design element. Alluring tile that sets new standard in elegance.

Ideal concrete is available in original size 90 x 90 cm and variety cutting sizes of 45 x 90, 30 x90, and 20 x90 cm with matt and semipolished finishes, and it has been created to add dimension, distinctiveness and versatility to homes, commercial and spaces with decorative intentions,



BLNC2302K 450x900,18"x36"



BLNC5302K 450x900,18"x36"




BLNC5302K 450x900,18"x36"

IDEAL CONCRETE



BLNC5302K 900x900,36"x36"




BLNC-2302 MATT



BLNC-2302 MATT




BLNC-5302 MATT



BLNC-5302 MATT



BLNC-6302 MATT



BLNC-6302 MATT

IDEAL CONCRETE


15x90cm / 6"x36"

30x90cm / 12"x36"


90x90cm / 36"x36"

20x90cm / 8"x36"

45x90cm / 18"x36"



BLNC-2302 MATT



IDEAL CONCRETE

15x90cm / 6"x36"

30x90cm / 12"x36"


90x90cm / 36"x36"

20x90cm / 8"x36"

45x90cm / 18"x36"



BLNC-5302 MATT



IDEAL CONCRETE

15x90cm / 6"x36"


30x90cm / 12"x36"

90x90cm / 36"x36"


20x90cm / 8"x36"

45x90cm / 18"x36"





TECHNICAL STANDARD



BLNC-6302 MATT



TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED	BLUE LINE IDEAL CONCRETE VALUE
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	± 0.6 %	± 0.1 %
WIDTH	EN ISO 10545-2	± 0.6 %	± 0.1 %
THICKNESS	EN ISO 10545-2	± 0.6 %	± 0.1 %
TRANSMUTATION	EN ISO 10545-2	± 0.5 %	± 0.2 %
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤ 0.5%	≤ 0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥ 1300N	≥ 1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥ 35N/mm ²	≥ 35N/mm ²
RESISTANT TO ABRASION	EN ISO 10545-6	≤ 205 mm ³	≥ 160 mm ³
THERMAL EXPANSION COEF	EN ISO 10545-8	≤ 9 MK-1	≤ 7 MK-1
TEMPERATUR SHOCK RES.	EN ISO 10545-9	No visible defects	Fully resistant
FROST RESISTANCE	EN ISO 10545-12	No visible defects	Fully resistant
SLIP RESISTANCE	DIN 51130	Declared Value	Class R9
CHEMICAL PROPERTIES			
GHEMICAL RESISTANCE (RESISTANCE TO HOUSEHOULD CHEMICAL AND SWIMMING POOL SALTS)	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICAL	CLASS 5 DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICAL	CLASS 5 DURABLE

SHADE VARIATION	V3	 Uniform Color V1	 Slight Variation V2	 Moderate Variation V3	 Substantial Variation V4
-----------------	----	--	---	---	--

REMARKS
- SIZE 90 x 90 cm thickness 11.00 mm

IDEAL

CONCRETE PORCELAIN STONEWARE

Other materials are available at...



www.blueline.co.th



download pdf



facebook



@blueline



Blue Line Mosaic and Tiles Co.,Ltd.
1226 Rama 9 Suanluang, Bangkok
10250

Showroom CDC Building D FL.1

Tel : 02-102-2257
Fax : 02-102-2258
Mobile : 061-403-1025

Line id : @blueline
facebook : bluelinethailand